

APPENDIX A

1. (Twice amended) An isolated antibody which specifically binds to an antigenic molecule from an isolated human herpes virus

wherein said isolated human herpes virus has the morphology of a human herpes virus and a double-stranded DNA genome of about 170 Kb,

wherein genomic DNA from said isolated human herpes virus comprises a nucleic acid sequence of molecular clone ZVH14 (ATCC Accession No. 40,247); and further wherein said antibody does not specifically bind to an antigenic molecule from

- (a) Epstein-Barr virus;
- (b) human cytomegalovirus (CMV);
- (c) I Herpes Simplex virus (HSV);
- (d) Varicella-Zoster virus (VZV); or
- (e) Herpes virus saimiri.
- 2. (Once amended) A method of detecting human herpesvirus-6 (HHV-6) in a biological sample comprising the steps of:
- (a) contacting the biological sample with the antibody of claim 1, under conditions such that the antibody will specifically bind to a human herpes virus antigenic molecule present in said biological sample whereby a complex is formed of antibody and antigenic molecule; and
 - (b) detecting for the presence or absence of the complex.
- 4. (Twice amended) A method of detecting in a biological sample an antibody that specifically binds an antigen from an isolated human herpes virus, said method comprising the steps of:
- (a) contacting the biological sample with said human herpes virus antigen, under conditions such that the antibody will specifically bind to the human herpes virus antigen; whereby a complex is formed of antibody and human herpes virus antigen; and

Appl. No. 10/087,882 Amdt. dated [insert date] Reply to Office Action of June 17, 2003

(b) detecting the presence or the absence of the complex,

wherein said isolated human herpes virus has the morphology of a human herpes virus and a double-stranded DNA genome of about 170 Kb,

wherein genomic DNA from said isolated human herpes virus comprises a nucleic acid sequence of molecular clone ZVH14 (ATCC Accession No. 40,247); and

further wherein said antibody does not specifically bind to an antigenic molecule from

- (i) Epstein-Barr virus;
- (ii) human cytomegalovirus (CMV);
- (iii) Herpes Simplex virus (HSV);
- (iv) Varicella-Zoster virus (VZV); or
- (v) Herpes virus saimiri.
- 5. (As filed) The method of claim 4, wherein the biological sample is serum.
- 6. (As filed) The method of claim 4, wherein the biological sample is from a patient.
- 7. (As filed) The method of claim 4, wherein said method comprises an immunofluorescence assay.
- 8. (As filed) The method of claim 4, wherein said method comprises an ELISA.
- 9. (As filed) The method of claim 4, wherein the antigen is immobilized on a solid surface before the step of contacting.
- 10. (As filed) The method of claim 9, wherein the antigen is immobilized onto nitrocellulose.
- 11. (As filed) The method of claim 10, wherein said method comprises a Western blot.
- 12. (As filed) The method of claim 4, wherein the human herpes virus antigen is present on an intact herpes virion.